

Instant 5G Connectivity Starts Here

5G FWA02 Router



• Wi-Fi 6

· Cloud-Managed



The FWA02 offers global 5G connectivity, ensuring convenient, reliable, and secure internet access wherever you are – be it in urban, suburban, remote, or rural areas. Unlike conventional cable and fiber connections, the FWA02 delivers a faster, lower-latency, and higher-performance network experience, providing a distinct advantage. By simplifying internet access into a plug-and-play network, the FWA02 allows you to concentrate on your business and online activities. Its seamless 5G wireless connectivity adds dynamism and excitement to your network experience.







Features and Advantages

• Plug and play high-speed 5G

The FWA02 brings you high-speed internet without waiting. With blazing-fast 5G, download speeds of up to 4.76Gbps, upload speeds of up to 1.25Gbps, and the ability to fall back to high-speed LTE Cat 19.

"Always-on" connectivity

The FWA02 comes with 5G/wired backup, cellular link failover, dual SIM switching, optional eSIM, and other features, providing a reliable and robust connection to ensure your network stability and reliability.

NAN


Secure Network Connection

The FWA02 is equipped with firewall policies, access control, built-in VPN, data encryption, enhanced Wi-Fi security, and other features, effectively ensuring the security of the network.



• Cloud-Managed Networking Solution

The FWA02 and the InCloud Manager deliver seamless cloud management of distributed sites at scale, monitor your network in real time and enhance IT management efficiency anywhere, unlocking the full potential of your network.





Take control




Critical Status

Dimensions (mm)





Dimensions: 236*172.5*58.5 (mm)





Product Specifications

5G FWA02 Hardw	vare Specifications	
Hardware Platfor	n	
Stateful Firewall Throughput	2Gbps	
Recommended No. of Users	220 (128 Wi-Fi devices)	
Interfaces		
Cellular	5G SA&NSA: 4.76Gbps (DL)/1.25Gbps (UL)	
Cellular	4G CATI9 : 1.6Gbps (DL)/200Mbps (UL)	
Ethernet Port	2*2.5 GbE RJ45	
	WAN/LAN switchable, Dual-LAN	
USB	1*Type-C, USB 2.0, Supports HOST and SLAVE modes	
SIM	1*eSIM 2*SIM, Nano SIM slot, Hot plug	
Reset	Reset button	
Power Switch]*button	
Lights	System, Cellular, Signal, WAN, LAN, Wi-Fi	
Antenna	6*external sub6_antenna, 4*built-in Wi-Fi antenna	
Interface	NATM model (4*external sub6 antenna)	
Wi-Fi		
Radio Frequency	2.4GHz&5.8GHz	
Max Transmission Bandwidth	3600Mbps	
Transfer Protocol	802.11 ax/ac/b/g/n , Wi-Fi 6	
Operating Model	AP mode	
Power Supply		
Power	Circular interface, 12V 2A	
Power Consumption	≤15W	
Mechanical Features		
Installation	Wall mounted, desktop mounted	
Dimensions & Weight	236*172.5*58.5 (mm), 2.2lbs	
Environment		
Working Temp.	-10° C to 50° C	
Storage Temp.	-40°C to 85°C	
Humidity	5% to 95% (non-condensing)	
Ingress Protection	IP20	
Physical Properties		
Shockproof	IEC60068-2-27	
Vibration Resistance	IEC60068-2-6	
Free Fall	IEC60068-2-32	
Certification		
Certification	FCC, IC, PTCRB, VZW, ATT*, TMO*, CE*	
Warranty	3 years	

5G FWA02 Software Specifications		
Cloud Management		
InCloud Manager	Centralized management platform Simple and intuitive dashboard User-friendly management Batch upgrade and management	
Uplink Management		
Network Access	Multiple network access, 5G/4G cellular network access, ETH network access	
Dial-up Service	PPPoE, cellular automatic redial, dual SIM switching, APN configuration	
Smart Link	Link backup/packet-by-packet load balancing among multiple links Real-time detection of link delay, jitter, and packet loss Supports priority adjustment	
Monitoring & Alerts		
Dashboard	Device information, interface status, and refined traffic	
Link Monitoring	Link delay, jitter, packet loss, and throughput monitoring	
Cellular Signal	Real-time view of cellular signal strength, RSSI, RSRP, RSRQ, SINR	
Data Security	System logs, diagnostic logs, device events, email alerts	
Network Func	tions	
IP Protocol	IPv4/IPv6*	
IP Application	VLAN, DHCP server/client, DNS, DDNS, fixed address assignment, IP passthrough	
Interface Management	Duplex mode, link negotiation rate, interface enable	
Wi-Fi 6	802.11 ax/ac/b/g/n , Wi-Fi 6, AP	
Policy Management	Policy routing, traffic shaping	
Self Recovery	Built-in software and hardware watchdog, self-healing equipment operation failure, to ensure the equipment maintains high availability	
Security		
VPN	IPSec VPN、L2TP VPN	
Firewall	Access control, port mapping, port forwarding, MAC address filtering	
	Firewall filtering based on MAC, IP, port, and protocol	
Remote Maint	enance	
Remote Access Control	Supports Web/Cli remote access	
Cloud Connection	Remote maintenance of PCs, monitoring equipment, servers, etc.	
Network Diagnostics	Ping, Traceroute, network packet capture tools, diagnostic logs	
Configuration Backup	Supports configuration import and export	



Ordering Guide

Model	Model code: FWA02- <wmnn> <wmnn>: Type & Module</wmnn></wmnn>
FWA02-NAVA	(For North America, Verizon, AT&T) 5G Sub 6: n2/5/7/12/14/25/30/41/48/66/71/77/78 LTE FDD: B2/4/5/7/12/13/14/17/25/26/29/30/66/71 LTE TDD: B41/46/48
FWA02-NATM	(For North America, T-Mobile) 5G Sub 6: n25/41/66/71 LTE FDD: B2/4/5/12/66/71 LTE TDD: 41 LAA: B46
FWA02-EUNR	(For Europe/Australia/Asia) 5G Sub 6: n1/3/5/7/8/20/28/38/40/41/71/77/78/79 LTE FDD: B1/3/5/7/8/20/28/32/71 LTE TDD: B38/40/41/42/43

InHand Cloud-Managed Networking Solution

Our solution encompasses cloud-managed edge routers, Wi-Fi access points, switches, 5G FWA/ODU cellular routers, and the InCloud Manager SaaS. By integrating top-tier IT management, IoT, 5G, and other technologies, we provide fast, secure, and user-friendly network solutions globally, enabling businesses to unlock boundless growth opportunities.



InCloud Manager

- Centralized management
- Efficient zero touch deployment
- Simplified network configuration
- Multi-dimensional security
- Multiple intelligent strategies



5G SD-WAN Edge Router

- 5G (Sub 6)/ LTE CAT20
- Multilink Backup & Dual SIM failover
- 5*Gigabit Ethernet port, dual WAN
- 802.11ac dual band, 1200Mbps
- SD-WAN, VLAN, VPN networking



- High-speed 5G, DL 4.76Gbps, UL 1.25Gbps
- 2Gbps throughput
- 2.5G ETH, WAN/LAN, PoE
- IP67, -30~70° C, GPS
- Wall & pole mounting with adjustable angles

About Us

InHand Networks is a leading IoT solutions provider founded in 2001, dedicated to driving digital transformation across industries and empowering customers to unlock their full potential and achieve accelerated growth.

We specialize in delivering industrial-grade connectivity solutions for diverse sectors, such as enterprise networks, industrial and building IoT, digital energy, smart commerce, and mobility. Our comprehensive product portfolio and services cater to various applications worldwide, including smart manufacturing, smart grid, intelligent transportation, smart retail, etc. With a global footprint spanning over 60 countries, we serve customers in China, the United States, France, Germany, the United Kingdom, Italy, and beyond.



43671 Trade Center Place, Suite 100, Dulles, VA 20166, USA T: +1 (703) 348-2988 E: info@inhand.com www.inhand.com